Recreational Camps

By Hill View Mini Barns

ACADIA

KATAHDIN



Page left intentionally blank

Acadia



- ~ 14x36 up to 14x56 ~ 1 to 2 bedrooms
- ~ Laundry
- ~ Kitchen

~ Interior Pine

~ Full Bath



Phone: (207) 269-2800 Email: sales@hillviewminibarns.com www.hillviewminibarns.com

Acadia Construction Overview

Main Shell Standard Features

~	Width to outside of walls	is 13'-4" with 4"	eave overhangs	

- ~ Walls built with 2x4 studs spaced 16" O.C. sheathed with Smartside (your choice of 17 colors!)
- 2x8 floor joists on two 6x6 pressure treated skids and ¾" T&G Advantech subfloor
- 90 PSF Roof built with 2x6 rafters spaced 16" o.c. with 7/16" Techshield© and roofing paper
- 30 year architectural shingles or corrugated metal.
- Windows are insulated vinyl in white
- ~ Door is 36" 9-lite, insulated, fiberglass in white or 6' slider as shown on plan
- 6'x13'-4" porch with log railing

Insulation

- Walls: R13 fiberglass batts
- Ceiling: R19 fiberglass batts
- ~ Floor: R13 2" TUFF-R Thermosheath

Interior

- ~ Coretec Vinyl Plank in "Kingswood Oak"
- ~ Walls & ceilings finished in ¾" tongue & groove knotty-pine boards with 3-coat clear finish
- ~ Knotty-pine solid wood interior doors (v-groove arch top) with Schlage® lever latches

Kitchen

- ~ Solid Maple cabinetry with full-extension, soft-close doors & drawers
- Laminate Countertop (Labrador Granite)
- Double-Basin Stainless Steel Kitchen Sink (Includes Drain/Strainer)
- Wall mounted microwave (Black)
- Empava 12", 2-Burner Tempered Glass Electric Induction Cooktop (OR 2 Burner Propane Drop-In Cooktop, Black)

Bathroom

- Showers is 1-piece fiberglass unit White color
- ~ Solid Maple vanity cabinetry with cultured marble 1-piece top/sink White color
- RE160iP Rinnai Propane water heater indoor tankless (OR AO Smith Electric 30 Gallon tank)
- ~ Exhaust fan/light combination in ceiling, light over sink, and 20 amp GFCI receptacle at sink
- ~ Medicine cabinet at sink

Electrical

- ~ 200 amp panel box with breakers (100 amp on camps 36' or shorter)
- Completed by a licensed electrician to residential code

Acadia Camp Permit Information

This document is to be given to local Code Enforcement Officer (hereafter "CEO") when applying for your permit.

Plumbing:

- ~ Plumbing permit is obtained by the Etna CEO, the town in which these camps are constructed.
- ~ Plumbing is completed by a licensed plumber
- ~ Etna CEO performs plumbing inspections
- ~ Pictures & Plumbing permit are available for your town's local plumbing inspector

~ An additional Plumbing permit will need to be obtained from the town for which the building is delivered to for the purpose of plumbing connections.

State Plumbing inspector, Michael Day, has confirmed plumbing is being completed to Maine State code.


Electrical:

- ~ Electrical is completed by a licensed electrician
- ~ Electrical for each camp is inspected by a state electrical inspector
- ~ Electrical certification is available for you town's local electrical inspector

If your CEO has any questions, please refer them to Randy Weaver at Hill View Mini Barns 207-269-2004




Page left intentionally blank






















































KITCHEN 'A'



KITCHEN 'B'



KITCHEN 'C'

PROJECT DESCRIPTION:

RECREATIONAL CAMP

11/28/2023

SCALE:


DATE:

DRAWINGS PROVIDED BY:

Hill View Mini Barns

SHEET:


<u>주</u>





SHEET TITLE:



Foundation Types







Page left intentionally blank

Katahdin



- ~ 18x28 up to 24x36 ~ 1 or more bedrooms
- ~ Spacious Porch

~ Steep roof for snow shed



Phone: (207) 269-2800 Email: sales@hillviewminibarns.com www.hillviewminibarns.com


Katahdin Construction Overview

Standard Features


- ~ Exterior walls built with 2x6 studs (109" tall) spaced 16" O.C.
- ~ Sheathed w/ Smartside (your choice of 17 colors!)
- ~ 2x10 floor joists on three 6x6 pressure treated skids
- ~ 3/4" T&G Advantech subfloor
- ~ 80 PSF Roof built with Scissor Trusses spaced 24" O.C.
- ~ Roof sheathed w/ 5/8" Techshield and roofing paper
- ~ Lifetime architectural shingles
- Windows are insulated vinyl in white
- ~ Door is 36" 9-lite, insulated, fiberglass in white
- Interior walls rough framed
- ~ Shell only (no insulation, plumbing or electrical)
- ~ 12" Overhangs w/ 1x6 Fascia
- ~ 6' Deep porch; width of the camp


Additional Options

- ~ Siding upgrades including: painted Board & Batten, ship-lap pine, or "half log".
- ~ Metalbestos chimney
- ~ Windows in "Clay" or "Black" with or without grids
- ~ Painted entry door
- ~ Slider door
- ~ Corrugated Metal roof
- ~ Ice and Watershield
- ~ Changes to floor plan, window size/quantity










2024

Rockwood

RIDGE VENT



www.hillviewminibarns.com

Rockwood Construction Overview

Standard Features

~	Floor constructed of 2x10	joists spaced at 16"	o/c with 3/4" OSB	tongue & groove sub-floor
---	---------------------------	----------------------	-------------------	---------------------------

- Walls constructed of 2x6 studs spaced at 16" o/c with 7/16" OSB wall sheathing and Tyvek® house wrap
- Roof constructed of engineered trusses spaced at 24" o/c with 5/8" OSB sheathing
- GAF® lifetime architectural shingles over synthetic roof underlayment w/ ice & water shield at eaves
- Porch finished with 1" composite decking and metal railings (log railings optional)
- Exterior log siding is 2x8 tongue and groove white pine, with 5-year urethane applied
- Provia® insulated vinyl windows double-hung/tilt with max efficiency triple pane Low-E/Argon
- Storm door for single entry doors not covered by porch

Insulation

- Walls: R21 fiberglass insulation
- Ceiling: R49 cellulose
- Foundation: R14 closed cell spray foam, 2" thick on interior (Plus mileage fee, TBD per site location)

Interior

- ~ Fusion Vinyl Plank flooring. Color choices: Hemlock or Hickory (sheet vinyl in bathroom)
- ~ Walls & ceilings finished in 3/4" tongue & groove knotty-pine boards with 2-coat clear finish
- ~ Knotty-pine solid wood interior doors (v-groove arch top) with Schlage® lever latches
- Wood closet shelving adjustable height

Kitchen

- Solid Pine cabinetry with full-extension, soft-close doors & drawers
- Wilsonart® laminate counter tops with decorative edge profiles (color & profile of your choice)
- Under-mount double-bowl stainless sink and Moen® faucet with pull-down sprayer
- ~ Over-range microwave with thru-wall exhaust
- ~ Range electrical consists of (1) 240v & (1) 120v receptacle for elect. range or a gas model


Bathroom


- Showers is 1-piece fiberglass unit Biscuit color
- Solid pine vanity cabinetry with cultured marble 1-piece top/sink Biscuit color, swirled design
- Rheem® water heater installed where shown on floor plan
- ~ Exhaust fan/light combination in ceiling, light over sink, and 20 amp GFCI receptacle at sink
- ~ Medicine cabinet at sink, plus amenities such as: toilet paper holder, hand towel ring, towel bar and robe hook

Electrical

~ 200 amp Leviton panel box with breakers and surge protector installed

Rockwood





2024